Scan results for perryparkmd.colorado.gov

# Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Sat Jun 28, 2025

#	Element		Relevant	Successes	Failures	Score	
1	use non div, a) sl	s that act as buttons but -button tags (e.g., span, nould include a htton" attribute.	Yes	5	0	100	
	Code snapshots of successful elements           1 <button aria-expa<br="" class="button js-form-submit form-submit torm-submit form-submit torm-submit form-submit torm-submit form-submit form&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;td&gt;nc nc&lt;/td&gt;&lt;td colspan=7&gt;2 &lt;button aria-controls=" menu-item-128aa887e3101191ad8847279ab3c7cb"="" type="submit" value="Search">nded="off" class="tbm-submenu-toggle always-show colorbrand-dark-blue"&gt; <s pan class="visually-hidden"&gt;Toggle About submenu</s </button>						
	<pre>3 <button aria-controls="menu-item-0c68104ba648ce7aae7f613b8b7509b8" aria-e<br="">nded="off" class="tbm-submenu-toggle always-show color_brand-dark-blue"&gt; pan class="visually-hidden"&gt;Toggle Metro District submenu</button> 4 <button aria-controls="menu-item-1d4e8378a8bb7a9bb07a9972fb14ccb2" aria-e<br="">nded="off" class="tbm-submenu-toggle always-show color_brand-dark-blue"&gt; pan class="visually-hidden"&gt;Toggle Important Info submenu</button></pre>						
	5 <body>          5         <button <="" aria-controls="menu-item-6384a6b1a37bc5f5cb37" td="">           nded="off" class="tbm-submenu-toggle always-show colopan class="visually-hidden"&gt;Toggle Contact Us submenu-</button></body>					:-blue"> <s< td=""></s<>	

#	Element	Relevant	Successes	Failures	Score
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	5	0	100

<button class="button js-form-submit form-submi&lt;br&gt;t btn" role="button" type="submit" value="Search">Search</button>

- 2 <button aria-controls="menu-item-128aa887e3101191ad8847279ab3c7cb" aria-expa nded="off" class="tbm-submenu-toggle always-show color\_\_brand-dark-blue"> <s pan class="visually-hidden">Toggle About submenu</span></button>
- 3 <button aria-controls="menu-item-0c68104ba648ce7aae7f613b8b7509b8" aria-expa nded="off" class="tbm-submenu-toggle always-show color\_\_brand-dark-blue"> <s pan class="visually-hidden">Toggle Metro District submenu</span></button>
- 5 <br/>
   <br/>
   <br/>
   Subtrom aria-controls="menu-item-6384a6b1a37bc5f5cb3770a50008cb3a" aria-expa<br/>
   nded="off" class="tbm-submenu-toggle always-show color\_\_brand-dark-blue"> <s<br/>
   pan class="visually-hidden">Toggle Contact Us submenu</span></button>

#	Elem	ent	Relevant	Successes	Failures	Score	
3	sets e they l used eleme using	should include text that expectations about the page ead to. If empty links are as layout wrapping ents, provide a description screen-reader only text or ria-label" attribute.	Yes	24	1	96	
	Code	snapshots of successful eler	nents				
	1	<a class="headerlogo nav&lt;br&gt;tan District" headerlogoimage"="" sr<br="" title="Perry&lt;br&gt;s=">ark Metropolit</a>	/ Park Metropol	itan District"	rel="home">	<img clas<="" td=""/>	
	<pre>2 <a class="tbm-link level-1 active-trail" href="/home"> Home </a> 3 <a class="tbm-link level-1" href="/perry-park-0"> About </a></pre>						
	4 <a class="tbm-link level-1" href="/metro-district"> Metro Distri</a>					ict	
	5	<a class="tbm-link level-1" href="/emergency-prepar&lt;br&gt;edness &lt;/a&gt;&lt;/td&gt;&lt;td rowspan=2 colspan=5&gt;paredness"> Emergency Prepar arkmd.colorado.gov/sites/perryparkmd/files/documents/ DDistrict%20Task%20Force%20Notice.pdf" class="tbm-lin nfo </a>					
	6						
	7	<a cl<="" href="/contact-us-0" td=""><td colspan="5">class="tbm-link level-1"&gt; Contact Us </td></a>	class="tbm-link level-1"> Contact Us				
	8	<a c<="" href="/accessibility" td=""><td>lass="tbm-link:</td><td>level-1"&gt; Acce</td><td>ssibility <!--</td--><td>a&gt;</td></td></a>	lass="tbm-link:	level-1"> Acce	ssibility </td <td>a&gt;</td>	a>	
	9	<a href="/perry-park-commu&lt;br&gt;erry Park Community Fund (&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;" le<="" tbm-link="" td=""><td>vel-1"&gt; P</td></a>	vel-1"> P				
	10	<a class="paragraphcarc&lt;br&gt;v/news-article/fourth-of-&lt;br&gt;cardicon"> <s< td=""><td></td><td></td><td></td><td></td></s<></a>					

#### **Code snapshots of failed elements**

1 <a href="/sentinel" title="Sentinel"><span class="fontawesome-icon-inline">< svg class="svg-inline--fa fa-newspaper fa-w-18" aria-hidden="true" data-fa-i 2svg="" data-icon="newspaper" data-prefix="fas" focusable="false" role="pres entation" viewBox="0 0...

#	Element	Relevant	Successes	Failures	Score
4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	2	0	100

#### Code snapshots of successful elements

- 1 <a href="https://larkspursentinel.org/" target="\_blank" title="Sentinel"><st rong>GET LOCAL INFORMATION IN THE LARKSPUR SENTINEL</strong><span class="vis ually-hidden">(opens in new window)</span></a>
- 2 <a href="https://www.google.com/maps?q=Perry+Park%2C+CO&amp;hl=en&amp;t=m&am p;z=14" target="\_blank">Perry Park, CO<span class="visually-hidden">(opens i n new window)</span></a>

Eler	ment	Relevant	Successes	Failures	Score	
info use pag	H1 heading provides ormation to screen-reader ors about the main topic of the ge. Each page should have actly one H1 heading.	Yes	Pass	-	100	
Cod	de snapshots of successful eler	nents				
<pre>1 <h1 class="text-align-center"><a href="/sentinel" title="Sentinel"><span cla<br="">ss="fontawesome-icon-inline"&gt;<svg aria-hidden="true" class="svg-inlinefa fa-newspaper fa-w-1&lt;br&gt;8" data-fa-i2svg="" data-icon="newspaper" data-prefix="fa&lt;br&gt;s" focusable="false" pre="" ro<=""></svg></span></a></h1></pre>						

#	Element	Relevant	Successes	Failures	Score
6	HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader- only text.	Yes	15	0	100

#	Element	Relevant	Successes	Failures	Score
7	Elements that visually function as headings but are not coded with a heading tag should include a role="heading" attribute or be updated to use the correct heading tag	No	0	0	

Element	Relevant	Successes	Failures	Score
Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between.	Yes	-	Fail	0
Code snapshots of failed element	S			
1 <h4></h4>				
2 <h5></h5>				

#	Element	Relevant	Successes	Failures	Score
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
11	Active popups should include aria-modal="true" and role="dialog" attributes to help screen-reader users navigate them effectively.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Each page should include hidden skip links that allow users (via keyboard or screen reader) to bypass certain blocks and navigate directly to main landmarks like the main content, menu, or footer.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
13	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should include an "aria-hidden" attribute set to "true" when hidden and dynamically updated to "false" when they become visible.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
14	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
15	Menus should be built using the HTML5 "nav" element or include a "role" attribute set to "menu" or "navigation" to indicate a navigation landmark for screen readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
16	Menu items that have a dropdown should include an aria- haspopup="true" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
17	Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed.	No	0	0	

#	Elem	ent	Relevant	Successes	Failures	Score					
18	alterr desci the e	es should have an native text description that ribes both the objects and mbedded text that the e contains, using the "alt" ute.	Yes	3	0	100					
	Code	snapshots of successful eler <img class="headerlogo&lt;br&gt;=" metropolitan<="" park="" perry="" td=""/> <td>image" src="/s</td> <td>ites/perryparkm</td> <td>d/files/logo</td> <td>.svg" alt</td>	image" src="/s	ites/perryparkm	d/files/logo	.svg" alt					
	<pre>2 <img alt="Imag&lt;br&gt;e of flyer with details about the Fireworks Show on July 3rd when it gets da&lt;br&gt;rk and the Parade on J&lt;/pre&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;3&lt;/td&gt;&lt;td&gt;&lt;img src=" height="2000" loading="lazy" perrypark<br="" sites="" src="/sites/perryparkmd/files/2025-06/PPMD%203rd%20and%2&lt;br&gt;04th%20of%20July%20Flyer%20FINAL_1.jpg" width="1545"/>25_0.png" data-entity-uuid y-type="file" alt="Aerial s indicated and areas</pre>							="4ea9ee74-81a	2-472c-a295-ab7	ceb939863" d	ata-entit

#	Element	Relevant	Successes	Failures	Score
19	Background images that are not just for decoration purposes should have the same treatment as standard images. They should include a role="img" attribute and an alternative text description using an "aria-label" attribute.	No	0	0	

#	Elem	nent	Relevant	Successes	Failures	Score							
20	usec wher desc shou role=	icons, SVGs, or images as spacers, decorations, or n their purpose is already ribed by other content, and include a "presentation" or "none" attribute.	Yes	2	0	100							
	Code	e snapshots of successful ele	ments										
	1	<pre><svg aria-hidden="true" class="svg-inlinefa fa-star" dat<br="" focusable="false">a-prefix="fas" data-icon="star" role="img" xmlns="http://www.w3.org/2000/sv g" viewBox="0 0 576 512" data-fa-i2svg="" &gt;<path d="M31&lt;br&gt;6.9 18C311.6 7 300.4 0 2&lt;/pre&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;2&lt;/td&gt;&lt;td&gt;&lt;svg class=" fill="currentColor" svg-inlinefa<br="">e" data-prefix="fas" data- org/2000/svg" viewBox="0 ( or" d="M64 0C28.7 0 0<td>-icon="file-li</td><td>nes" role="img"</td><td><pre>xmlns="http</pre></td><td>://www.w3.</td></path></svg></pre>								-icon="file-li	nes" role="img"	<pre>xmlns="http</pre>	://www.w3.

#	Element	Relevant	Successes	Failures	Score
21	Figure elements used to display images should have a role="none" attribute, and the image itself should provide a description using the "alt" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
22	Each "area" element within a map tag should have an "alt" attribute that provides an alternative text description, similar to standard images.	No	0	0	
	C C				

#	Element	Relevant	Successes	Failures	Score
23	Small or hidden tracking pixel images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from screen- readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
24	Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name).	Yes	Pass	-	100

1 <input title="" data-drupal-selector="edit-keys" class="form-search form-con trol" placeholder="Search" type="search" id="edit-keys" name="keys" value="" size="40" maxlength="128" data-toggle="tooltip" data-original-title="Site Se arch" style="backgrou...

#	Element	Relevant	Successes	Failures	Score
25	Form elements must have unique IDs to ensure that their corresponding labels provide accurate information.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
26	Required form fields should include aria-required="true" to inform screen-reader users of the field's validation.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
27	aria-describedby and aria- labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute.	No	0	0	

Element	Relevant	Successes	Failures	Score
Search forms should include a role="search" attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers.	Yes	Pass	-	100
Code snapshots of successful el		qet" id="search	-block-form"	accept-ch
rset="UTF-8"> <div class<="" td=""><td></td><td></td><td></td><td></td></div>				

#	Element	Relevant	Successes	Failures	Score
29	All forms should include a submission button built as an input type="submit" or a "button" element, or have a role="button" attribute. The button can be hidden if the form supports submission via the Enter key.	Yes	Pass	-	100

1 <form action="/search/search" method="get" id="search-block-form" accept-cha rset="UTF-8"> <div class="form-item js-form-item form-type-search js-form-ty pe-search form-item-keys js-form-item-keys form-no-label form-group"> <label for="edit-key...

#	Element	Relevant	Successes	Failures	Score
30	The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
31	The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
32	The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation.	Yes	Pass	-	100

Element	Relevant	Successes	Failures	Score
The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user- scalable="yes" and maximum- scale=2 (or higher) in the content attribute.	Yes	Pass	-	100
Code snapshots of successful ele	ments			

#	Element	Relevant	Successes	Failures	Score
34	Landmarks like main content and footer should use their corresponding HTML5 elements ( <main>, <footer>) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere.</footer></main>	Yes	2	0	100

<main id="main-content" tabindex="-1" class="js-quickedit-main-content"> <di 1 v class="row"> <div class="container" > </div> <div class="col-...

<footer> <div class="footer\_\_content-footer color\_\_grey-sand"> <div class="c 2 ontainer"> <div class="region region-footer"> <section id="block-blockmainfo"</pre> oter" class="block block-block-content blo...

#	Element	Relevant	Successes	Failures	Score
35	Font sizes should be at least 11px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages.	Yes	51	1	98
	Code snapshots of failed element	S			

1 <button type="submit" value="Search" class="button js-form-submit form-submit t btn" role="button">Search</button>

#	Element	Relevant	Successes	Failures	Score
36	Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages.	Yes	52	0	100

#	Element	Relevant	Successes	Failures	Score			
37	Text elements should me minimum contrast ratio o between the foreground color) and the backgroun	f 4.5:1 (text	51	0	100			
	Code snapshots of successful elements							
	ce discount becau	1 <span data-olk-copy-source="MessageBody">You might get a homeowner's in ce discount because Perry Park is a Certified Firewise Community. Check your insurer!</span>						
	2 <a c<="" href="/home" td=""><th>lass="tbm-link level-</th><td>1 active-trail"&gt;</td><td>Home </td></a>	lass="tbm-link level-	1 active-trail">	Home				
	3 <a class="tbm-lir&lt;/th&gt;&lt;td&gt;k level-1" href="/perry-p&lt;/td&gt;&lt;th&gt;ark-0"> Abou</a>	t						
	4 <a class="tbm-]&lt;/th&gt;&lt;td&gt;ink level-1" href="/metro-d&lt;/td&gt;&lt;th&gt;istrict"> Me</a>	tro District	:					
	5 <a clas<="" href="/emergen&lt;br&gt;edness &lt;/a&gt;&lt;/td&gt;&lt;th&gt;cy-preparedness" th=""><td>s="tbm-link leve</td><td>l-1"&gt; Emerge</td><td>ency Prepar</td></a>	s="tbm-link leve	l-1"> Emerge	ency Prepar				
		perryparkmd.colorado. etro%20District%20Tas tant Info	• • • •					
	7 <a class="tbm-lir&lt;/th&gt;&lt;td&gt;k level-1" href="/contact&lt;/td&gt;&lt;th&gt;-us-0"> Cont</a>	act Us						
	8 <a class="tbm-li&lt;/th&gt;&lt;td&gt;nk level-1" href="/accessi&lt;/td&gt;&lt;th&gt;bility"> Acc</a>	essibility <	:/a>					
	•		unity-fund-501c3-501c3" class="tbm-link level-1"> P (501c3 Donations)					
	dden fielditen	d fieldname-field-1 ">Click Here for more 0 Parade - July 4, 2	e details 🛛 Firew	orks - July				

#	Element	Relevant	Successes	Failures	Score
38	Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
40	A common accessibility mistake is treating carousels as live regions using the "aria-live attribute" with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen- reader only text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
42	Tables used for layout purposes should include a role="presentation" attribute to indicate to screen-readers that it is not a data table.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
46	The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
49	Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers.	Yes	1	1	50

1 <iframe width="100%" height="250" title="Google Map for Perry Park, CO" fram eborder="0" style="border:0" src="https://www.google.com/maps/embed?origin=m fe&pb=!1m4!2m1!1sPerry+Park%2C+C0!5e0!6i14!5m1!1sen"></iframe>

## **Code snapshots of failed elements**

1 <iframe style="border:1px solid #777;" src="https://calendar.google.com/cale ndar/embed?height=600&wkst=1&ctz=America%2FDenver&bgcolor=%23fff fff&mode=AGENDA&src=ZTN1ZTRjNTVhMWRl0GQ2ZmUwMDEz0DUzNDJjM2Yw0TI5NDYy NGJmNTIx0DY1YTEwNzMxMW...

This audit is subject to the terms of service